



MATERIAL SAFETY DATA SHEET
SSC300 REVERSIBLE LIQUID CRYSTAL INK (THERMOCHROMIC -
CHOLESTERIC)

Page 1 of 4
MSDS098 Revision 2
Revision Date 10/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name SSC300 REVERSIBLE LIQUID CRYSTAL INK (THERMOCHROMIC - CHOLESTERIC)

Description Aqueous based ink containing encapsulated cholesteric liquid crystal.

Company LCR Hallcrest
1911 Pickwick Lane
Glenview
IL 60026

Telephone +1 847 998 8580

Fax +1 847 998 6866

Emergency telephone number +1 847 998 8580

Intended use Manufacture of temperature-indicating products and temperature-sensitive decorative effects.

2 HAZARDS IDENTIFICATION.

Statement of Hazard

Properties Color Tan.
Odor Mild.
State Liquid.

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS
Ammonia solution	1 - 10%	1336-21-6

4. FIRST AID MEASURES

Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards	Burning produces irritating, toxic and obnoxious fumes.
Protective equipment	Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation of the working area.
Environmental precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep containers tightly closed. Store in correctly labeled containers. Store in a cool area but do not freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	Ensure adequate ventilation of the working area.
Hand protection	Chemical resistant gloves (PVC)
Eye protection	In case of splashing, wear: Approved safety goggles.
Protective equipment	Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Color	Tan.
Odor	Mild.
Boiling Point	100°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
------------------	---------------------------------

11. TOXICOLOGICAL INFORMATION

Ammonia solution	Oral Rat LD50 = 350 mg/kg
------------------	---------------------------

12. ECOLOGICAL INFORMATION

No Data at this time

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
----------------------------	---

14. TRANSPORT INFORMATION

Further information	This product is not classified as dangerous for carriage.
----------------------------	---

15. REGULATORY INFORMATION

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Ammonia solution...%	Y	N	N	N	N	N	Y	N	N

16. OTHER INFORMATION

Statement of Hazard

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

TSCA

All components are TSCA compliant.

HMIS LABELLING

HEALTH 1, FLAMMABILITY 0, PHYSICAL HAZARD 0 PERSONAL PROTECTION : C.